

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16111	high near3 shock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 09:27
L2	1800	1 and (beam rod bar elongated). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 08:58
L3	374	2 and (bend\$5 flex\$5 fold\$5 buckl\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:45
L4	26	2 and ((test near3 piece) specimen sample).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 09:03
L5	2	("6655190").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 09:03
L6	37	column near2 shock.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:28
L7	3326307	"37" and cap head cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 09:24
L8	3276338	6 and cap head cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 09:25
L9	19	6 and (cap head cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46

L10	566	(rod bar beam column elongated) near2 shock.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:58
L11	39	10 and (upper lower) near2 (top bottom door cap head cover).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:49
L12	0	11 and buckl\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:44
L13	0	11 and buckl\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:44
L14	3	10 and buckl\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:42
L15	4	11 and (bend\$ buckl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:44
L16	13	11 and (bend\$5 flex\$5 fold\$5 buckl\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:11
L17	13	10 same (upper lower) near2 (top bottom door cap head cover).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:06
L18	699567	(rod bar beam column elongated).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:52
L19	6363	18 near7 (upper lower) near2 (top bottom door cap head cover).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:52

L20	77	19 same (bend\$5 buckl\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:53
L21	33	19 near9 (bend\$5 buckl\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:56
L22	13	((("4,426,683") or ("4,433,570") or ("6,553,807") or ("6,408,205"))). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 12:56
L23	89	sock adj2 (rod bar beam column elongated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:04
L24	4	23 and buckl\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:05
L25	20	23 and bend\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:05
L26	20	23 and bend\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:05
L27	1	23 same (upper lower) near2 (top bottom door cap head cover).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:08
L28	2	23 same (upper lower) near2 (top bottom door cap head cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:07
L29	4564	((rod bar beam column elongated) near5 (upper lower) near2 (top bottom door cap head cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:09

L30	3582	((rod bar beam column) near5 (upper lower) near2 (top bottom door cap head cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:10
L31	2	30 near3 shock\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:10
L32	2240	((rod bar beam column) near3 (upper lower) near2 (top bottom door cap head cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:58
L33	936	((rod bar beam column) near3 (upper lower) near2 (door cap head cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:11
L34	503	((rod bar beam column) near3 (upper lower) near2 (door cap cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:14
L35	16	34 and (bend\$5 buckl\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:13
L36	0	34 near3 (bend\$5 buckl\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:13
L37	6	((rod bar beam column) near3 (upper lower) near2 (door cap cover)) near3 (buckl\$5 bend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:13
L38	214	((rod bar beam column) near2 (upper lower) near2 (cap cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:20
L39	148	((rod bar beam column) near2 (upper) near2 (cap cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:15

L40	28	39 and ((rod bar beam column) near2 (lower) near2 (cap cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:15
L41	0	28 and test\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:20
L42	0	28 and test\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:18
L43	706	((rod bar beam column) near2 (upper lower) near2 (cap flange cover)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:20
L44	4	43 and test\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:23
L45	17	43 and shock\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:23
L46	2052	((rod bar beam column) near2 (second upper lower) near2 (door cap head flange)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:59
L47	1109	((rod bar beam column) near2 (second upper lower) near2 (cap flange)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:00
L48	2	47 near3 notch.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:01
L49	54	47 and notch.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:01

L50	1	"4884456".PN.	USPAT; USOCR	OR	ON	2004/12/29 14:06
L51	1	"5487298".PN.	USPAT; USOCR	OR	ON	2004/12/29 14:07